



ASTON

BS POLYCARBONATE RANGE





Technology which Cares.



Making Workplace Safer:

MAXIMUS strive and adhere to best practices & guidance to customers on complying with relevant regulatory safety standards, encouraging a more professional approach and improved services for safety.



Relevance, Functionality & Performance:

MAXIMUS business philosophy drives us to respond to our customer requests of higher efficient products built strictly on international accepted standards and designed for better performance for today and future.



Eco friendly Products & Going Green:

MAXIMUS insists on "Going green" which means to pursue knowledge and practices that can lead to more environmental friendly and ecologically efficient products. We essentially use environmental -friendly plastic / metal components that are biodegradable and low in toxicity & help protect the environment and sustain its natural resources for current and future generations.



Energizing Lives In Style & Safety

Built to British standard in a state-of-art factory using high engineering standards.

BS Metal modular switches are elegantly designed and easy to assemble.

The front plates are made up of High Grade Metal which is environmental friendly.

The switches contact are made of High Quality Silver Alloy which has outstanding performance against electric arc.

Rockers can perform 40,000 On / Off operations.

The metal contact of socket are made of Phosphorus Bronze which has character of good electrical conductivity.



SASO
COMPLIANT

Tested & Certified by

Intertek




ASTON

Energizing Lives in Style



Tested & Certified by



هيئة القياسات للمواصفات والمقاييس
Standards Authority for Standards & Metrology



- Built to British standard in a state-of-art factory using high engineering standards
- Aston modular switches are elegantly designed and easy to assemble.
- The front plate are made up of High Grade Poly Carbonate material which is environmental friendly.
- The Switches contact are made of High Quality Silver Alloy which has outstanding performance against electric arc.
- Rockers can perform 40,000 On / Off operations.
- The metal contact of socket are made of Phosphorous Bronze which has character of good electrical conductivity.

“INCREDIBLE DESIGN
INNOVATIONS”



10A/AX Light Switches
(10AX switch rating means no need
to derate its current rating when connected
to fluorescent lamps or inductive loads)

20AX DP Switches

13A Socket Outlets

Reference Standard

IEC 60669-1

IEC 60669-1
BS EN 60669

BS 1363-2
SASO 443
SASO 2203
SASO CVG.0235

Test Report No.

14090319HKG-001R1

14090326HKG-001R1

14090324HKG-001
14090320HKG-001



15A Socket Outlets

BS 546

14090325HKG-001

Fused Connection Units

BS 1363 Pt4

Shave Unit

IEC/BS EN 61558

25A/45A Connection Unit

BS 5733

DATA Communication Outlets

BS 5733

16A Universal Socket Outlet

BS 5733

16A Schuko Socket Outlet

IEC 60884

VALUE ADDED COLOR OPTIONS TO ELEVATE YOUR SPACE



BRONZE (BR)



MATT GOLD (MGO)



PLATINUM BLACK (PB)



PEARL WHITE (PW)



MATT GREY (MGR)

45A DP Switch

45A DP Cooker Connection Unit with 13A
switches Socket

32A DP Switch

Flush Boxes

Coupler & Spacer

BS 3676 Pt1
BSEN 60669

BS 4177

IEC 60669-1

BS 4662

BS 5733

BS 3676 Pt1
BSEN 60669

14090329HKG-001

14090327HKG-001R1

BS POLYCARBONATE RANGE



Light and Control Switch

MT6201
10AX 1 gang 1 way switch
MT6202
10AX 1 gang 2 way
MT6203
10A 1 gang bell switch
(marked bell symbol)
MT6204
10A 1 gang bell switch
(marked press)
MT6205
10AX 2 gang 1 way switch
MT6206
10AX 2 gang 2 way switch
MT6207
10AX 3 gang 1 way switch
MT6208
10AX 3 gang 2 way switch
MT6210
10AX 4 gang 1 way switch
MT6211
10AX 4 gang 2 way switch

MT6212
10AX 1 gang 1 way wide rocker switch
MT6213
10AX 1 gang 2 way wide rocker switch
MT6285
10AX 1 gang intermediate wide rocker switch
MT6214
10AX 1 gang wide rocker bell switch
(marked bell symbol)
MT6215
10AX 2 gang 1 way wide rocker switch
MT6216
10AX 2 gang 2 way wide rocker switch
MT6217
10AX 3 gang 2 way wide rocker switch
MT6277
10AX 3 gang 1 way wide rocker switch
MT6298
10AX 4 gang 1 way switch (3x3)
MT6299
10AX 4 gang 2 way switch (3x3)

MT6289
10AX 4 gang 1 way wide rocker switch
MT6291
10AX 6 gang 1 way wide rocker switch
MT6220
10A 1 gang wide rocker bell switch with neon
MT6221
10AX 2 gang 1 way wide rocker switch with neon
MT6222
10AX 2 gang 2 way wide rocker switch with neon
MT6223
10AX 3 gang 2 way wide rocker switch with neon
MT6278
10AX 3 gang 1 way wide rocker switch with neon
MT6225
20AX 1 gang DP switch with neon marked
"Water Heater"
MT6225A
20AX 1 gang DP switch with neon marked
"Air Conditioner"
MT6224
20AX 1 gang DP switch with neon

MT6226
20A 1 gang DP switch
MT6227
10AX 1 gang intermediate switch
MT6218
10AX 1 gang 1 way wide rocker switch
with neon
MT6219
10AX 1 gang 2 way wide rocker switch
with neon
MT6226A
20A 1 gang DP switch wide rocker
with neon
MT6230
45A 1 gang DP switch with neon (146mm)
MT6230A
45A 1 gang DP switch with neon (146mm)
marked "Air conditioner"
MT6231
45A 1 gang DP switch with neon marked
"cooker"
MT6228
32A 1 gang DP switch with neon
MT6229
45A 1 gang DP switch with neon (86mm)
MT6229A
45A 1 gang DP switch with neon
"Air Conditioner" (86mm)

**MT6270**

5A 1 gang switched socket outlet

MT6258U

13A universal switch socket

MT6258.1U

13A Universal Switch Socket with neon

MT633

45A 1 gang DP switch & neon with 13A DP switched socket

MT6258

13A 1 gang switch socket outlet

MT6258.1

13A 1 gang switch socket outlet with USB

MT6259

13A 1 gang DP switch socket outlet

MT6262

13A 2 gang switched socket outlet

MT6262.1

13A 2 gang switched socket outlet with USB

MT6263

13A 2 gang DP switched socket outlet

MT6264

13A 2 gang switched socket outlet with neon

MT6265F

13A 2 gang DP switched socket outlet with neon

MT6266

13A 2 gang unswitched socket outlet

MT6267

16A 1 gang switched 2 pins universal socket

MT6268

16A 1 gang unswitched 3 pins socket

MT6260

13A 1 gang switch socket outlet with neon

MT6261F

13A DP switch socket with neon

MT6272

15A 1 gang switched socket outlet

MT6257

13A 1 gang unswitched socket outlet

MT6274

16A 1 gang schuko socket

MT6273

15A switched socket outlet with neon



Dimmer



Flexoutlet &
Connection Unit



Data Socket
Outlet



MT6247

1 gang 1000W / 450VA dimmer 2 way

MT6249

1 gang 600W / 250VA dimmer 1 way

MT6250

1 gang 600W / 250VA dimmer 2 way

MT6245

1 gang 250W/ 400VA fan regulator with
2 way switch module

MT6246

1 gang 500W / 200VA dimmer
with 2 way switch module

MT6234

13A unswitched fused connection unit
with front flex outlet

MT6235

13A unswitched fused connection unit
with front flex outlet & neon

MT6236

13A switched fused connection unit
with front flex outlet

MT6237

13A switched fused connection unit
with front flex outlet & neon

MT629

45A front flex outlet

MT6251

25A front flex outlet with 3 terminal block

MT6281

1 gang RJ45 socket cat 5

MT6281A

1 gang RJ45 socket cat6

MT6282

2 gang RJ45 + RJ12 socket cat5

MT6282A

2 gang RJ45 + RJ12 socket cat6

MT6283

2 gang RJ45 socket cat5 MT6283A: 2 gang RJ45 socket cat6

MT6239

2 gang RJ11 4 wire American type telephone socket

MT6240

Single non isolated TV socket

MT6284

Satellite socket

MT6241

Single isolated TV socket

MT6238

1 gang RJ11 4 wire American type telephone socket



Multifunction Socket

MT6252

Shaver supply unit, dual voltage 115 / 230V output, 230V input

MT6254

2 gang blank plate

MT6255

1 gang Euro plate 1 module

MT6256

1 gang Euro plate 2 module

MT6275

16A 2 gang schuko sockett

Hotel Accessories

MT6295

Key card switch

MT6295.1

Service and DND switch with indicator (inside)

MT6295.2


Service and DND door bell switch (outside)

MT62A1


Foot light

Way to Connect


1 WAY SWITCH




2 WAY SWITCH




13A 1 GANG SWITCHED SOCKET




INTERMEDIATE SWITCH




13A 2 GANG SWITCHED SOCKET




15A 1 GANG SWITCHED SOCKET




1 GANG MULTI FUNCTION SOCKET




**2 GANG MULTI
FUNCTION SOCKET**




**13A 1 GANG SOCKET
WITH USB OUTLET**




**13A 2 GANG SOCKET
WITH USB OUTLET**




**FUSE CONNECTION
UNIT**




**SWITCHED FUSE
CONNECTION UNIT**




20A SWITCH




45A SWITCH




COOKER CONTROL UNIT




DIMMER SWITCH/FAN CONTROLLER




TV SOCKET




BT SOCKET



32A KEYKARD SWITCH



SHAVER SOCKET



In Pursuit of Excellence.

Quality assurance practices & commitment
to deliver quality products & services

Technology which Cares.



Glow wire test



Socket - normal
operation test



Dimmer regulator - life test



Material -
ball-pressure test



Switch - high voltage test



Switch - normal
operation test



Switch - temperature rise test



Socket - guage test

Intertek

Intertek Testing Services Hong Kong Ltd.
2/F, Gateway Centre, 876 Castle Peak Road,
Kowloon, Hong Kong
Tel: (852) 2473 8888 Fax: (852) 2788 5487

Test Verification of Conformity

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the requirements of the referenced specifications at the time the tests were carried out.

Company Name & Address	BAKIMUS INTEGRATED TECHNOLOGIES LTD 28-30 St John Square, London, UK
Product(s) Tested	15A 10 unswitched socket outlet
Rating and principal characteristics	15A 250V~
Model(s)	MT6207
Brand Name	MAXIMUS
Relevant Standard(s) Specification(s)	BS 1363-1: 1995 + AMD 9942 + AMD 1400 + AMD 17436 15A switched and unswitched socket outlets
Verification Issuing Office Name & Address	Intertek Testing Services Hong Kong Ltd. 2/F, Gateway Centre, 876 Castle Peak Road, Kowloon, Hong Kong
Verification/Report Number(s)	HK10021291-6

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

This verification is for the exclusive use of member's Client and is provided pursuant to the agreement between member and its Client. Member's responsibility and liability are limited to the terms and conditions of the agreement. Member assumes no liability to any party other than its Client in connection with the agreement, for any loss, expense or damage whatsoever by the use of this verification. Only the Client is authorized to permit copying or reproduction of this verification. Any use of the verification for other than the use of the member's product or service must be approved in writing by Intertek. The reproduction and subsequent resale, retransmission or any other use of this verification is prohibited. The verification is valid only for the product, process or service as specified in the member's application program.

[Signature]
Signature
Name: Wing Wai Ping
Position: Manager
Date: 19 Aug 2010

Intertek

Intertek Testing Services Hong Kong Ltd.
2/F, Gateway Centre, 876 Castle Peak Road,
Kowloon, Hong Kong
Tel: (852) 2473 8888 Fax: (852) 2788 5487

Test Verification of Conformity

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the requirements of the referenced specifications at the time the tests were carried out.

Company Name & Address	BAKIMUS INTEGRATED TECHNOLOGIES LTD 28-30 St John Square, London, UK
Product(s) Tested	(A) 25A 10 DP switch with reset (B) 45A 10 DP switch with reset (20mm) (C) 45A 10 DP switch with reset (16mm) (D) 45A 10 DP switch with reset marked cooker
Rating and principal characteristics	(A) 25A 250V~ (B)(C)(D) 45A 250V~
Model(s)	(A) MT6220 (B) MT6229 (C) MT6230 (D) MT6231
Brand Name	MAXIMUS
Relevant Standard(s) Specification(s)	BS EN 60 668-1:2006 + AMD 12096 + AMD 14884 + A2 Switches for household and similar fixed electrical installations
Verification Issuing Office Name & Address	Intertek Testing Services Hong Kong Ltd. 2/F, Gateway Centre, 876 Castle Peak Road, Kowloon, Hong Kong
Verification/Report Number(s)	HK10021214-6

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

This verification is for the exclusive use of member's Client and is provided pursuant to the agreement between member and its Client. Member's responsibility and liability are limited to the terms and conditions of the agreement. Member assumes no liability to any party other than its Client in connection with the agreement, for any loss, expense or damage whatsoever by the use of this verification. Only the Client is authorized to permit copying or reproduction of this verification. Any use of the verification for other than the use of the member's product or service must be approved in writing by Intertek. The reproduction and subsequent resale, retransmission or any other use of this verification is prohibited. The verification is valid only for the product, process or service as specified in the member's application program.

[Signature]
Signature
Name: Wing Wai Ping
Position: Manager
Date: 22 Nov 2010



UK Office:

Maximus Integrated Technologies Limited
16 St Martin's Le Grand
St Paul's, London EC1A 4EN
Tel: +44 (0) 2035512650 / Fax: +44 (0) 2073978400
Email: contact@maximusonline.co.uk

Middle East Office:

Maximus ME Integrated Technologies FZCO.
P.O. Box: 341250, 6th Floor Apricot Tower
Office no. 606, Dubai Silicon Oasis, Dubai - UAE.
Tel: +971 4 326 7340, Fax: +971 4 326 7341
Email: dubai@maximusonline.co.uk
www.maximusonline.co.uk